

Natural and Nature-Based Features in the USACE North Atlantic Coast Comprehensive Study

**Dr. Todd S. Bridges, ST
Senior Research Scientist,
Environmental Science**

**U.S. Army Engineer Research
and Development Center (ERDC)
Vicksburg, MS**

Coastal Resilience Conference

21 May 2014



®

**US Army Corps of Engineers
BUILDING STRONG®**



Hurricane Sandy


Storm Impacts and Damages:

► Human

- 286 people killed (159 in the US)
- 500,000 people affected by mandatory evacuations
- 20,000 people required temporary shelter
- Extensive community dislocations
 - continuing today in some areas


► Economic

- \$65B in damages in the U.S.
- 26 states affected (10 states and D.C are in the NACCS study area)
- 650,000 houses damaged or destroyed



In the Context of Coastal Resilience...

- What opportunities are there for achieving better alignment of natural and engineered systems?
 - ▶ Can improved alignment reduce risks to life and property?
 - ▶ What additional services can be produced?
 - ▶ What are the science and engineering needs in order to achieve better alignment?



Sustainable Solutions Vision: "Contribute to the strength of the Nation through innovative and environmentally sustainable solutions to the Nation's water resources challenges."



BUILDING STRONG®


ERDC

Innovative solutions for a safer, better world

Evaluating Opportunities for Natural Systems

Key Factors, the 4 Ps

- ▶ Processes
 - Physics, geology, biology...
 - Foundation of “coastal engineering Jujitsu”
- ▶ Programmatic context
 - Planning, engineering, constructing, operating, or regulating
- ▶ Project scale
 - Individual property owner to an entire coastal system
- ▶ Performance
 - Configuring the system
 - Quantifying the benefits



Systems: Coastal Risk Reduction and Resilience

“The USACE planning approach supports an **integrated approach** to reducing coastal risks and increasing human and ecosystem community resilience through a combination of **natural, nature-based, non-structural and structural measures**. This approach considers the engineering attributes of the component features and the dependencies and interactions among these features over both the short- and long-term. It also considers the **full range of environmental and social benefits** produced by the component features.”

Coastal Risk Reduction and Resilience: Using the Full Array of Measures



US Army Corps of Engineers
Directorate of Civil Works



US Army Corps of Engineers
BUILDING STRONG®

September 2013
CWTS 2013-3



BUILDING STRONG®

ERDC

Innovative solutions for a safer, better world

NACCS Natural and Nature-Based Features: Multi-Disciplinary Team

Project Leaders:


- Todd Bridges (EL)
- Paul Wagner (IWR)

Task Leaders:

- Kelly Burks-Copes (EL)
- Craig Fischenich (EL)
- Edmond Russo (EL)
- Deborah Shafer (EL)
- Ty Wamsley (CHL)

Study Team Members:

- | | | |
|------------------------|-------------------------|------------------------------|
| • Scott Bourne (EL) | • Lauren Dunkin (CHL) | |
| • Pam Bailey (EL) | • Ashley Frey (CHL) | • Jennifer Wozencraft (CHL) |
| • Kate Brodie (EL) | • Mark Gravens (CHL) | • Jae Chung (IWR) |
| • Zach Collier (EL) | • Linda Lillycrop (CHL) | • Michael Deegan (IWR) |
| • Sarah Miller (EL) | • Jeff Melby (CHL) | • Michelle Haynes (IWR) |
| • Patrick O'Brien (EL) | • Andy Morang (CHL) | • Lauren Leuck (IWR) |
| • Candice Piercy (EL) | • Cheryl Pollock (CHL) | • David Raff (IWR) |
| • Bruce Pruitt (EL) | • Jane Smith (CHL) | • Lisa Wainger (U. Maryland) |
| • Burton Suedel (EL) | | • Sam Sifleet (U. Maryland) |



Natural and Nature-Based Infrastructure at a Glance

GENERAL COASTAL RISK REDUCTION PERFORMANCE FACTORS:
STORM INTENSITY, TRACK, AND FORWARD SPEED, AND SURROUNDING LOCAL BATHYMETRY AND TOPOGRAPHY



Dunes and Beaches

Benefits/Processes

- Break offshore waves
- Attenuate wave energy
- Slow inland water transfer

Performance Factors

- Berm height and width
- Beach Slope
- Sediment grain size and supply
- Dune height, crest, width
- Presence of vegetation



Vegetated Features:

Salt Marshes, Wetlands, Submerged Aquatic Vegetation (SAV)

Benefits/Processes

- Break offshore waves
- Attenuate wave energy
- Slow inland water transfer
- Increase infiltration

Performance Factors

- Marsh, wetland, or SAV elevation and continuity
- Vegetation type and density



Oyster and Coral Reefs

Benefits/Processes

- Break offshore waves
- Attenuate wave energy
- Slow inland water transfer

Performance Factors

- Reef width, elevation and roughness



Barrier Islands

Benefits/Processes

- Wave attenuation and/or dissipation
- Sediment stabilization

Performance Factors

- Island elevation, length, and width
- Land cover
- Breach susceptibility
- Proximity to mainland shore



Maritime Forests/Shrub Communities


Benefits/Processes

- Wave attenuation and/or dissipation
- Shoreline erosion stabilization
- Soil retention

Performance Factors

- Vegetation height and density
- Forest dimension
- Sediment composition
- Platform elevation

Natural and Nature-Based Features Evaluation and Implementation Framework






FEMA



The Nature Conservancy



Innovative solutions for a safer, better world

Authorities

Coastal Zone Management Act

Fish and Wildlife Conservation Act

Clean Water Act

Water Resources Development Acts

National Historic Preservation Acts

Marine Protection, Research and Sanctuaries Act

Sustainable Fisheries Act

National Environmental Policy Act


Endangered Species Act



Etc., Etc., Etc. **ERDC**


1 A 1-1. Drowned River Valley

Examples: Chesapeake and Delaware Bays



II B 1. Marine Depositional Barrier Coast

Examples: Virginia coast






Vulnerability

Vulnerability wrt Nature-Based Features
in the Coastal Zone



Relative
vulnerability of
coastal landscapes;
how nature-based
features affect
vulnerability



***Vulnerability:** Degree to which a system is susceptible to, and unable to cope with, adverse effects from a hazard; vulnerability is a function of the character and magnitude of a hazard to which a system is exposed, its sensitivity, and its adaptive capacity.*



Resilience

The ability of a system to resist, recover and/or adapt to the stresses of adverse events

- **Engineering:** resist damage, or return to a prior relatively stable state following a disturbance.
- **Ecological:** resist damage, or self-organize into a new configuration after disturbance.
- **Community/Social:** learn and adapt to avoid loss in functionality; develop new functions in response to disturbance.



Military
Civil Works



Sandy
Comp
Study



FEMA



Military



Schultz et al. (2012)




Resilience

Framework to quantify resilience for Integrated Coastal Systems (ICS)




- Focus on functional performance of engineered projects.
- Incorporates multiple projects in the ICS.
- Develops a quantified measure of resilience based on speed and magnitude of restoring functionality or service following a disturbance.
- Functionality/service can be restored via **natural processes** and/or human maintenance.
- Not limited by mission area.



Identifying Opportunities



Manasquan Inlet, NJ



BUILDING STRONG®




Innovative solutions for a safer, better world

System Performance Evaluation

- **Level 1** – Qualitative characterization of performance
- **Level 2** – Semi-quantitative characterization of performance
- **Level 3** – Quantitative characterization of performance

72 individual performance metrics identified for NNBF

Wt	1	2	4	3	5		
	B1	B2	B3	B4	B5	Mean	Wtd
Plan A	10	8	5	1	0	4.8	49
Plan B	10	10	0	0	0	4	30
Plan C	10	5	5	9	7	7.2	102
Plan D	10	8	5	10	10	7.8	115
Plan E	4	7				5.6	80




Option 1: Value Transfer (\$ Value per acre)

Ecosystem Service Values Based on Peer-Reviewed Original Research in Temperate North America/Europe (2012 \$/ac*yr)

	Coastal Shelf	Beach	Estuary	Saltwater Wetland	Forest	Grass/Rangelands	Cropland	Freshwater Wetland	Open Fresh Water	Riparian Buffer	Urban Greenspace	Urban/Barren
Gas/Climate Regulation												
Disturbance Regulation	32794			1						106		
Water Regulation								7162				7
Water Supply	745		59		11			1396	492	2310		
Soil Formation	n/a	n/a				7			n/a			
Nutrient Cycling		n/a										
Waste Treatment				7322								
Pollination	n/a	n/a			195		10		n/a			
Biological Control		n/a										
Habitat/Refugia			438	277	1110			6				
Aesthetic/Recreation	17651	364	31	356	1	18	1889	428	1047	2562		

Option 2: Ecosystem Production Functions




Literature, and Meta-analysis Studies in Temperate North America/Europe (2012 \$/ac*yr)

	Forest	Grass/Rangelands	Cropland	Freshwater Wetland	Open Fresh Water	Riparian Buffer	Urban Greenspace	Urban/Barren
GS	65	4		161			404	
				4397		106		
		2		3590			7	
	196			1856	492	2310		
	6	4			n/a			
	53	53		1008				
	195	16	10		n/a			
	2	14	14					
			999	136				
	1417	1	18	1680	428	1047	2562	
	1			1070		5		



Example: Wave Dampening by Wetlands

- What are the engineering benefits of wetlands with respect to waves?
- Flume studies being performed in the 10 ft flume
 - Complemented by examination of sediment processes and field studies
- Wave attenuation was found to:
 - increase with stem density
 - increase with submergence ratio
 - slight increase with incident wave height
- Results used to update STWAVE



Assessing vulnerability and resilience over the long term: performance metrics



Dunes and Beaches

Benefits/Processes

Break offshore waves
Attenuate wave energy
Slow inland water transfer

Performance Factors

Berm height and width
Beach Slope
Sediment grain size and supply
Dune height, crest, width
Presence of vegetation



Vegetated Features:


Salt Marshes, Wetlands, Submerged Aquatic Vegetation (SAV)

Benefits/Processes

Break offshore waves
Attenuate wave energy
Slow inland water transfer
Increase infiltration

Performance Factors

Marsh, wetland, or SAV elevation and continuity
Vegetation type and density




Inundated under 1 ft of RSLR

Drum Bay, Follets Island



BUILDING STRONG®

D2M2: Dredged Material Management Decisions



Performance Evaluation Case Studies

- **Proof of concept analysis**
 - Quantify benefits of environmental restoration projects using an ecosystem goods and services (EGS) analysis framework
- **Hurricane Sandy case study**
 - Use extreme event to improve understanding of restoration effectiveness & benefits
- **Focused on two general types of services:**
 - Flood damage Reduction
 - Wildlife Habitat (emphasis on T&E species)
- **3 Study Sites**
 - Jamaica Bay
 - Cape May Meadows
 - Cape Charles South



Moving Forward...

- Organize and expand science and engineering related to natural processes and features
 - ▶ Reduce uncertainties regarding design and performance of NNBF
 - ▶ Understand dynamic performance of NNBF
 - ▶ How to effectively integrate NNBF with other measures
- Integrating expertise across disciplines and organizations
 - ▶ Planning, designing, constructing, operating, monitoring, and maintaining integrated systems





BUILDING STRONG®

ERDC

Innovative solutions for a safer, better world